

ESL - Electronic Shelf Labels

Catalogue ESL 02-2023



o
m
r
o
n
e
-H

ESL -
Electronic
Shelf Labels

Summary

p.6	ESL Cloud solution
p.8	Product introduction
p.10	N° 1 Electronic cloud label system
p.11	Electronic Shelf Labels
p.12	3 Colours series
p.15	4 Colours series
p.16	7 Colours series
p.17	Samples of templates
p.18	Accessories
p.20	Installation
p.22	Industry Pharmacies – Cosmetics
p.24	LCD H-Screens

The company in a few words

Active since 2014, but with 50 years of experience in the area of pharmacy facilities and the care sector in general, H-PHARMA is the N° 1 producer for each storage and display system for both medicine and retail products. The product range includes a wide variety of steel cabinets, sales-supporting accessories, and the most efficient Electronic Shelf Label (ESL) system.

H-PHARMA's ESL system offers you a high quality display from 3 to 8 colours, all managed on a cloud platform.

You can find the product range on our website www.hpharma.eu or by contacting us by email: info@hpharma.eu


«The product range includes a wide variety of steel cabinets, sales-supporting accessories, and the most efficient Electronic Shelf Label (ESL) system»






ESL Cloud solution

H-Pharma ESL Cloud Solution responds effectively to the various needs of the companies in terms of sales, economy and legislation.



Various Sizes 3-colour/full-colour ESL



Product introduction

H-Pharma cloud platform



The unique true global cloud

01.

Rendable

02.

Accurate

03.

Efficient



04.

Ultra-fast


05.

Easy

06.

Chic

Electronic Shelf Labels



3 Colours series

SLIM 3 - Black / white / red (or yellow)



HD 1.54" NFC LED Replaceable

Dim.: 44.5 x 35.9 x 13.7 mm
 Screen: 27 x 27 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0031-1.5
 Ref. Black frame: 89-0033-1.5



HD 1.8" NFC LED Replaceable

Dim.: 54.2 x 36.9 x 9.9 mm
 Screen: 36 x 27 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0031-1.8
 Ref. Black frame: 89-0033-1.8



HD 2.13" NFC LED Replaceable

Dim.: 72 x 36.4 x 14.3 mm
 Screen: 48.6 x 23.7 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0031-2.1
 Ref. Black frame: 89-0033-2.1



HD 2.66" NFC LED Replaceable

Dim.: 83 x 41 x 14.3 mm
 Screen: 60.1 x 30.7 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0031-2.6
 Ref. Black frame: 89-0033-2.6



HD 2.7" NFC LED Replaceable

Dim.: 77.71 x 50 x 14.3 mm
 Screen: 57.3 x 38.2 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0031-2.7
 Ref. Black frame: 89-0033-2.7



HD 2.9" NFC LED Replaceable

Dim.: 90.41 x 41 x 14.3 mm
 Screen: 66.9 x 29.1 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0031-2.9
 Ref. Black frame: 89-0033-2.9

**HD 3.7"**

NFC LED Replaceable

Dim.: 103.6 x 57 x 11.2 mm
 Screen: 81.54 x 47.04 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0031-3.7
 Ref. Black frame: 89-0033-3.7

**HD 2.13" ***

Dim.: 72 x 36.4 x 13.9 mm
 Screen: 48. x 23.7 mm
 Temperature min-max: **-25°C ~ 40°C**
 Batterie / Batterij: 1200 m Ah
 Couleur cadre / Color SupportBlue: 89-0035-2.1
For refrigerated products

**HD 4.2"**

NFC LED Replaceable

Dim.: 105 x 91 x 13.2 mm
 Screen: 84.8 x 63.6 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 2400 m Ah
 Ref. White frame: 89-0031-4.2
 Ref. Black frame: 89-0033-4.2

**HD 5.8"***

NFC LED Replaceable

Dim.: 138.3 x 111.8 x 13.8 mm
 Screen: 118.8 x 88.2 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 2400 m Ah
 Ref. White frame: 89-0031-5.8
 Ref. Black frame: 89-0033-5.8

**HD 7.5"**

NFC LED Replaceable

Dim.: 185 x 124.3 x 13 mm
 Screen: 163.2 x 97.9 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 4800 m Ah
 Ref. White frame: 89-0031-7.5
 Ref. Black frame: 89-0033-7.5

**HD 11.6"***

NFC LED Replaceable

Dim.: 266 x 190 x 9 mm
 Screen: 244 x 164 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 3600 m Ah
 Ref. White frame: 89-0031-11.6
 Ref. Black frame: 89-0033-11.6

**HD 13.3"***

NFC LED Replaceable

Dim.: 298.3 x 225.5 x 9 mm
 Screen: 275 x 195 x 2 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 3600 m Ah
 Ref. White frame: 89-0031-13.3
 Ref. Black frame: 89-0033-13.3

ULTRA-SLIM 3 - Black / white / red (or yellow)



HD 1.8" NFC LED Replaceable

Dim.: 54.2 x 36.9 x 9.9 mm
 Screen: 36 x 27 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0032-1.8
 Ref. Black frame: 89-0034-1.8



HD 2.13" NFC LED Replaceable

Dim.: 71 x 34,7 x 9,5 mm
 Screen: 48,55 x 23,7 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0032-2.3
 Ref. Black frame: 89-0034-2.3



HD 2.6" NFC LED Replaceable

Dim.: 84.2 x 40.5 x 7.5 mm
 Screen: 60.09 x 30.7 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0032-2.6
 Ref. Black frame: 89-0034-2.6



HD 2.9" NFC LED Replaceable

Dim.: 92 x 41.5 x 7.5 mm
 Screen: 66.9 x 29.1 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0032-2.9
 Ref. Black frame: 89-0034-2.9



HD 4.2"* NFC LED Replaceable

Dim.: 103,6 x 87 x 10,3 mm
 Screen: 84,8 x 63,6 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0032-4.2
 Ref. Black frame: 89-0034-4.2



HD 5.8"* NFC LED Replaceable

Dim.: 132 x 109 x 13 mm
 Screen: 118.78 x 88.22 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 2400 m Ah
 Ref. White frame: 89-0032-5.8
 Ref. Black frame: 89-0034-5.8



HD 7.5" NFC LED Replaceable

Dim.: 176.8 x 124.3 x 13 mm
 Screen: 163.2 x 97.92 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 2400 m Ah
 Ref. White frame: 89-0032-7.5
 Ref. Black frame: 89-0034-7.5

4 Colours series

ULTRA-SLIM 4 - Black / white / red / yellow



HD 2.4"

NFC LED Replaceable

Dim.: 84,5 x 42,3 x 8,8 mm
 Screen: 52,1 x 29,6 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 600 m Ah
 Ref. White frame: 89-0036-2.36
 Ref. Black frame: 89-0037-2.36



HD 3.0"

NFC LED Replaceable

Dim.: 102,8 x 43,7 x 8,8 mm
 Screen: 70,4 x 29,6 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0036-3.0
 Ref. Black frame: 89-0037-3.0



HD 4.4"

NFC LED Replaceable

Dim.: 108 x 95 x 11,1 mm
 Screen: 90,1 x 64,8 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 1200 m Ah
 Ref. White frame: 89-0036-4.37
 Ref. Black frame: 89-0037-4.37



HD 7.3"

NFC LED Replaceable

Dim.: 180,8 x 121,8 x 9 mm
 Screen: 160 x 96 mm
 Temperature min-max: 0 ~ 40°C
 Replaceable battery: 2400 m Ah
 Ref. White frame: 89-0036-7.3
 Ref. Black frame: 89-0037-7.3

7 Colours series

FULL COLOR 7



The advertisement features a product box for the Futuro ankle brace on the left. The box is yellow and blue, with the brand name 'FUTURO' in large black letters. It shows a white ankle brace and includes text in multiple languages. On the right, a man in a light-colored shirt and dark pants is leaning over to assist a young child wearing a green helmet as they ride a blue and orange bicycle on a grassy field. The background shows a clear sky and distant hills.

Big Sale

Futuro Chevillère Comfort Lift Taille M 1 Pièce

18% OFF

Time Restrict Offer **11,30€**

HDFC 5.8"

Dim.: 135.4 x 109.5 x 13 mm
Screen: 125.4 x 99.5 mm
Temperature min-max: 0 ~ 40°C
Replaceable battery: 2400 m Ah
Ref. White frame: 89-0035-5.8
Ref. Black frame: 89-0036-5.8

Samples of templates




Accessories

Various holders for various shelves



50-04-004-01

Label holder for double
suspended hooks



50-04-025-45

Label holder for
shelves 6 - 10 mm



50-04-026-45

H-PHARMA metal
shelves (Compact-H)
+ Cosmeline profiles



50-04-029-45

Label holder for
shelves 18 - 22 mm



50-04-030-45

Label holder for
grooved wooden shelves



50-04-031-45

Label holder «I»
placed in grooved shelf
(3 mm thickness)



28-04-77-14

Label holder for
shelves 28 mm




28-04-77-13

Label holder for
shelves 38 mm




50-04-031

Label holder, upright model, adjustable angle
ESL TAG 1.54" & 2.9"
White / transparent



50-04-037

Label holder, upright, ESL TAG from 5.8" to 13.3"
Transparent



50-04-032

Label holder, upright, ESL TAG from 1.54" to 4.2"
White



50-04-035

Label holder, upright, TRIANGLE
ESL TAG 2.13"
Transparent

50-04-032-45

Tacsom pour tablette 28 et 38 mm

50-04-050-02

Pastilles White Velcro ø 19 mm

50-04-050-03

Tape of velcro

50-04-040-02

Magnetic fixing profile



Installation

Suitable installation for optimum performance

The installation of H-PHARMA's ESL system carried out by our team of professionals after an expert analysis of your needs, guarantees you the best performance and a seamless transfer between your operating and management software systems, our micro-base and our labels.

The BLE 5.0 (Bluetooth Low Energy) communication increases the durability of your labels and offers you a communication of the latest generation.

The different screen colours added to the LED management allow you to integrate strategies linked to your needs and your market. Thanks to our High Definition screens, you can add logos and images of your products to stimulate and increase your sales and communication.

H-PHARMA's team of experts will follow you throughout the entire installation process and our Helpdesk will answer your questions : support@hpharma.eu





Access point

Industry | Pharmacies - Cosmetics

European standards for pricing have been becoming more rigorous and stringent for many years. The pharmaceutical sector is no exemption to this legal obligation. Thanks to H-Pharma's ESL system you will not only comply with the regulations, but also save money by avoiding price errors. Furthermore, you re-use your staff for purposes that are more in harmony with your professional activity as a pharmacist, i.e. advice, sales and pharmaceutical preparation.





LCD | H-Screens



HD resolution



24/7

Stable network and low energy



Cloud management

Remote management via Cloud



Connectivity Wi-Fi

Synchronization of your publications



Intelligent broadcasting system



High brightness

H-Screen 23.1"



H-Screen 35"



H-Screen 48"



H-Screen 61"



Notes



A series of horizontal dotted lines spanning the width of the page, providing a template for handwritten notes.



H - P H A R M A

Your Partner in Pharmacy Equipment

H-Pharma Medical Storage • Am Dueref 48-2, L-9645 Derenbach • Luxembourg
Tel: +32 51 62 21 01 • info@hpharma.eu • www.hpharma.eu

